Applicant: Akira SUZUKI Title: FRYER Our Docket No.: 939_047

FIG. 1

ļ			Γ
T S	Temperature range (Set temperature: 340° F)	Display	
1 '	~134°F	Oil Melting bl	blink
—	135°F~314°F	LOW TEMP -**** bl	blink
	315°F~337°F	Cooking OK -*** F	light
1 '''	338°F~342°F	Cooking OK BEE Displayed interchangeably li potatoes 2' 13	light
	343°F ~ 355°F	Cooking OK +**** F	light
	356°F~428°F	HIGH TEMP +**** F	blink
	G 428°F~	Overheated b	blink
1			

Cooking can be started

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

					(
e correction	2, 14	2, 13	2, 12	2, 11	12/10	12,69	
Cooking without time correction	: potato	: potato	: potato	: potato	:/ potato/	:/potato/	:
S	1	1	1	1	7	7	
. 🗖	2	M	12	12	1	2, 10	
orrectio	7	X	1 2%	13	2,	2,	
Cooking with time correction	fish	fish	fish	ffsh	fish	fish	:
Cooking	12	12/	122	12%	2:	2:	
		1					

A display portion displays these shaded messages

A display portion displays these shaded messages